



CEL

Prof Hompel's
Lectures
1857858

William, So Me Thereno



Sepia. quice of the cuttle fish-Sick headache, hemicrania in be males afflicked with hysteries, shoking stitching bearing pained - opposessive trains accompanied by naused and vomiting in females affected with scanby mentheation, amen omhaa, dysminomhola, raseular erythism, flushed face, soverely of the abdomen, Recommended as a prementative of miseguage at Som the 5th to 1th months, chronic yonorwhea, caustiveness in prequalit fefrimples upon the skin producing roughness and exacting, on the indide of joints of knee and elbow. Glandelin and sympathic swel. lings, induration and suppumation abeef of the mamma-Then bloody or ichowns pues, carries & expoliation of the bones, disorgaing ative complicated with mercurial pecameur gangiene, Lape norm; norm fever spilepsy worse during change

Spigelia. Pink not, lingle dones manifest themselves in increased ratio from 7/6/10 days 71 Symptoms. Sparmodic movement of eye lids, initation of the intectinal mucous membranes - pains in eye ball during intolerable presume in both ages nove when touring, Frifamation of margin of the lide, relevation and emaiting werely, Inflamafrom of the selentica - westels congested, hids heavy - inability to Copen them, burning in both eyes liging fratient- to close their, idea that they will not be able to open them again. followed by blood sed fore before the eyes obstancting the sight, and returning again after a profuer flow of heart and delatawith Inclination to winks - Where litts hang down as if paralysed, Dilatation of the pupils from small est at anything, Industructures of eight as if eyes were full of maker or I something were hanging to the lids,

Scintillations, Amaurosis, Lithilating sensation on the dorsum of the nose, as if a light ener ant of our were passing overit, face swolen in the morning, pressure in the malne bone, tearing frain ac companied by pressure, bruning pater in the malar bone, drawing and sheleing in the sheek, Footbacke, painful fishs in decayed teethe aggravated by cold, pressing pain from within outward, intermettent, Hatulent distention of the abdorner, followed or releived by a love stool, mingled with yellowhish mucous, cravling & Netrity in the rectum, ascaridely & lumbici (16 fluid or of water on in of wolf vident pressure in chest be low the left claricle, sense of construct ion in the muscles of the chest, ac companied by a feeling of an quish- hearing sensation with constriction in lover part of chest, whift. ing to the upper part of the obest, then palpitation of the heart, unusually show weating of the heart, palfitation in creased by cetting down or benching forward, above the region a pain. ful sensation as of from a localdragging and ceitting in the abdomen

as if by incarcerated flatulence leaving and constrictive oppression in region of the heart, tearing draw. my stilling pains in joints or Whought museles, when streteling the limb juking and throbbing in the jointh. Spongea Tosta. Group, Gorter, Elmie bronchitis, acute bronchitis, Stricking in the region of the beforeation of the bronchia, handness of hearing in serofulous pureons, ofor-Thea, Schihis, Sabina. Hackre-enteritis, griping cutting frams sollowed by a dischange - Leuchorhoa in place of menses, Demophysis in place of mendes. arthritis where deposition fra taken place, leaving pain with pressure in the matatacket joints, Printed drawing on too jourtaggravared by walking. Shoup stitches in the heel from authito outward, Dysuria, irribation extends over the intestinal 1 , mucous membane accompanied with a discharge of blood with muce Coming pain, Deficulty of unnating purilent gonowhoen discharge !-Condytomata, Antidote Emetic or eathabie then demulcent drinks of . Opium seems to be an antidote.

se

Sambucus Black elder- Blossoms are used. Dry course- infficutive caturch, Congle which has a saltist or sweetish by peleto. vation of pus, Hechie Leva. Considerable might sweats, Cough-considera ble dyspinoea, adema of the feet-Angina Pertonis, Inhermettents Fearly, when the perspiration is excelsive Il hinchure of the owner back ack as a cathartie and emetic - Blos-Sorres act as a sullorifie -Scilla Maritima. towns on the shores of the meditheranian and in ankey. On massive doses acts as an emetic, it also acts on the uninary organs, and skin Tiening when effusion hus taken place, Pneumonicorelevative / week give on, with hemophysis. Chronic bronchihis, expectoration of pus and blood, Suppuration of the lining numbrance of the kidneys Ladder and methra, discharge of mucous then pus. Troping - constant enging to pass on. tu, out inability, eneweris, large deposits of mucous or pusors the turne

Sarsaparilla. Rosto are used, Syptidis when com plicated with mercurial proison. The of an old character. Suppressed Scubes -The bush is found on the other slope of the mexican andes. Large doses cause braning pain in the throat and stomach, nausea, vomiting, purging, Inostration of strenght, Icon vulsive deletium, land acute suphion like intecaria, It is used for worms, burning sen. ation in the bowels, and us if ball of thread were moving around Cuthing pained - rusted land vimiling. Spitting up of a watery fluid, I creping in the rectum. Tape worm, Spasm, Lofor speech, convoline rotation of the arm. when these symptoms have lassed off, there is a discharge of a file of the morn, Neural gib wheum whim, charackerized by shuddering and chillings followed by scheness & nearing in limbs, interese paine in the loved and joints as if scraped with a knife -

Intermittent ferry, where the chill is cut up. Burning orceping & isching in the skin When the scalp is the seat of this there is Genea Capilis Caused nausea and promiting pheat in the stormach quick, pulse, headache Deeds cause topor dilatation of the pufiels- with vertigo. Augina - throat feels rough, raw feeling and sorenes. causing prove for less drip cough. Chronic bruchetes and procum dried. with a lendency to a levelopeera Infahtum Dunka gocom panied by cutting and burning pain. Klothitil Sheumatism tendency to puspiration on the least exection. Secale Comutum. Contractions of the wheres along of the uterest Janguene Sening along the skin weariness. desainess, Pushela Maligna-Male mant Small Pox- when the pustules assume a gangrencons character-

On fround down with sugar is giver for Japenon and Lumbrici. I Used in epilepsy- mucous Puthis Sis expressoration of frue, Soul enectish or saltish, heckel fever, night Sweak, Staphasagria. Tenen Oupitis. Sever iteting vermin developing, old mister anaqed itch, violent at night Lin brice Ranenous hunger, Joonskant flow-of water from the mouther Heafiles, Vinew, Serfolous of the almia - Suited to pressons of an initable temperanient. Stramonium. Tinchore prepared from the seeds Coverful naicotic la a ent-In small doses deminishes The sensibility -Corebnal Group. Majoria characterized by a desire to bite, strike and destron - Jumping sing dancing manin characterned his a ! constant change of eightous, marina characterized by excessive talking even to persons not present, maria character-

ized by hallucinations Mania char Novems Group Telanie Spasme, ofisthotonic spasms, accompranied by formication exceled by eight I lucid bodies, Varox yours of alker nate contractions and relagations of the limbs. Chorea, when the limbs isk in all serts of directions, Opilepsy chewching of the thumbs, stertowns breathing, foaming at the mouth, expression of terror in the face, Hoysteric Spasms, preceded by excessive it Aubility, atternate wiefing and months extress, scherall excelement, Jainting fits, rateral falls down insensib, ore attende impercepta. ble Corbulsions of healer and and nith hickoryh, desire to loibe und tear, ldryness of the mor tepend facces, spasm in attempting to swallow a liquid Sharm with resulp of the fixe and eyes, Special Senses. Dilabation of the Impilo, sharing and glistering eyes swelling and reduces of the face, sensitiveness to igut, deplopeia, blackobjets look gry, witer seems to be moving while nading, complete amaurosis par:

alise the upher lid, Gritting of the cette, hands moving at the same time, Dryness the mouth sereaming until house, stammering, aph. onia, accompanied by funous delening swelling and protection of the tonger plualism, making or benacious, Countr of throat! Gastric Group. Insignic laste rounting of some muceus, ancieny and burning. in the jut of the Somuele, tympanibis, vucketh diarrown preceded by, rumb in the briefs, custoverous dianhica discharge of blood Urirary & Nexual Group, detention of unine seems aimed by a sensation as drough a cylindrical tall were being jush. ed tungle the mettra, Dinesis acconfuned by shoulding and mulling in the abdomen, Improvence Mym. pramania, metrorha in blood black a clean court, Catarrhal Group. Toomener, shill rover, dyd noen, to nofitysis dry barting Critaneous Group. Red with on the end and back, buy evered with brown stripes, dry and not, Ly mus, face red and stouted, Sleep. Putient sleeps as though he were dead; Thrice Seepen startowns

brutting, suddenly wakes with screams come - vigil-Omitted Cerebral Symptoms. Revous rechaps, in ability to collect ones senses, Shipifuce from about the head, Delenum Tremens, Janacterized by furins delesium, halbucinations ightful visions, Phrenitio-Antidote. Emetic or Stomach Pump, Hum Coffee or amegur-__ Sulpher __ Cutaneous Group. Rash upon the ckin accompanie to by sounes, Peorie emphine resembling scales, Urticain, Herpetice. suftions accompanied by enjetpelatous in bumation of the skin, burning iteling neively at night, ellers bleeding readily, and seem mag a feted pus, Mikow, schimes Auberele of lower life, Feerhebic Emphons, Heefels Syramous dry or Sumid her es- Helefes Thagedenicus accom-I would by imaciative and force, Keepes of various kinds, Scales, vesicular and papulous, Courta serpigenosa, Terrea capitaisof every form expecially the dry- 6 movie En ripelas, dene Pracea, Interprego Infantum Sevendons Meus, bleeding rendity, disestaging four fres, Mente gra, Herfut. ic sports, Ossions disorg an exactions, expecial. if there is mercurial complication, Elandular swellings of a acrofu-

lons marce, Anasurea from aute exam. them, as after scarlet lever, or how suppressed wise. Cerebral aroup. Headache, make of blood to the head, "Hoeadache on waking, "eriodical, Headache accompanied by throbbing Inverie Vertigo, Hoydroephalus, when there is a province twit, sunding head from suppression of whole Nervous Group Theumatic pains in muscles and joints, drawing and exterior finis holling and reducts of the knee joint, Sirving smolling of the lock healynerva from suppressed thete, Orbital Group - Inflormation of the eyes and ridd, accompanied by hugher trophy . the linely membrane, Athritee and dentalous of Inthatmide, resicles on the cornea, amaurosis, Cata. Unicular Coroux. Thornaa with all soits of noises, Nasal Group. Evenel und swelling of the rover, Epistusid Dental & Buchal Coroup Afritha, Tother les accompanied by swelling, inflamative and bleeding of the gund, eethe feel clong sted and sell on physism, Somacace - Chronice sere Throat

· Castric Group. Foul taste in the month in Complete loss of appetite, Desire for a sons of fullnife in the e stomuch fafter eating, nata brash named and normating, contractive by paint after eating, "Contatements, Cherio Swelling and indusation of the to mesentence glands, atrofitica Infan - Turn, Swelling buildies of the Inquirral as well as the Axillony glands, Watery Diamtion, discharge dof white ormens, duchange of whole with tenesmus, Constillation, Cauckings when the recken pro-Lufes during stool, Caustivenels with files, stringing and bucking in the rechum, Ailments from safepressed piles, Comortioidal coles, Urenary & Sexual Group Eneuresis, Reduction Himaturia, recompanied by burnwing and chinging pain in the method, en I Tehol sweat for the general organs, - Stringing in the gland and whole , Jenis, Informating alees on the. aluns and prefice. Inflamation & the prepule, welling of the kesti-"cles, Sexual weathers, Vinioluntary discharge of prostatic juice & somere,

Propose from of the me set, Levelorwhen of a convenie yellewish char actor, Chronic South sea, gonowhoca from suffressed hemontorids, Unen orrisoca of Langulores individuals, congestion to the head palfitation of the react or flushes on the face, Protion of blood to the parts. Disposition is misearriage, Enjerpelas of the mamma, hardruft and hondency do suppuration, Gatarrhal & Pilmonary Group. Hoursnels, sense of varinelo in the throat, withilation withe landing, bongle accompanied by praine, Aringing in the shest, belough accompanied by combing, Aftasmouch & centraction in the chest, longh accompanied le the is fuctoration of a green yellowish matter, doing to with up feet for whim of blood, Dyspinea, Asthma, aproca, Congestrois of the Lings, abouncedered by acting pains and fullness or phes sine, burning in the chest with determination of blood to the chest, palper ation of the weart, Common Wold, assectation of the schneiderine mentione, discharge of fout fested pus, county of the mostils, Upromice,

from catarrh, accompranced by dys. proce and constant expectoration a Chronie Ceougle, accompanied by in expectoration of mucous, romiting expectuation of fews, or expecturation Hord, Croup, Cough after med ster, meumoria with acute stage - drawing passed away - disposetions I to cough, dight cold bringing And Pleuritis Plastical, 1 Inbercular Hithiers, from sufrbussed itch, asthima, Julpula fine of the heart Houmphysis, Cough - Asthma from suppresed hemorrhingels; Never Coroup Ty phoid Fever burn ing deling emplow on the skere with waken dianhaa, Contin was hear and coper at night, Hogetie Fere will night since to, Meeplefances, Restlop sleep high. Montal Coroup. Heysterin Hayporthondra orther accompanied by derangement of the liver, caretineness or from suppressed files, married Anticlited - maunial phyalism

Antimonium. Condum. Corobral Coroup. Anfry fryg / rain in the occipat. Headache frontal, none at night, some pain in the passetal home I swelling of periostown accompany Nervous aroup, Sout Cheumatieno, drawing pain in the limbs and joints, red, not swelling of the fore access Opecial Senses. Rednes and Inflamation of the eyes, Photophotice, nightly agglation the files, am aurosis A munical Chamber, Fishela Lachrymalio, with descharge of fetal us, from suppressed tele I Rednest turning and such ling of the bar, toal and I the Ensborhelian bules, Somewhop of the inne more accompanied by formation of crusts, Supprehating emphions on the Jace accompresided by weak System, Bleed ing of the found, lovedness of the finds Inflamations, smilling and bleeding of the gums, dup wee celored inflamation of guess, Coastrie Coroup. Bitter Haste in the month, better excepationed, room. thing I bill and mucous accom hanned by heartrock and

feeling of august in fit of stomade Oppression his the stomach and contraction, Emission of fetil flats ulence, alternate carlstrenes and dranhoed, watery, humhau, dienbeing, blooding and bluck should, Hellmich mucous from bowell, Intereles around the arms with a lonning and Stinging sensu-Vienary & Sexual Corroup Injenie, Retention of mine, Enercesis, discharge of muchos from the method, Catand of bladder, Suchurhan, Catarolal & Pulmonary Group. Dry levy paroxyems of africa, tookythe baccompanied by Streeting pains in the sheet. Hever Group. Theumatic arthritic Forey with quat gastine deraugement, Sundancy to wild clammy sweat, in morning attended with prostra-Cutaneous Group. Violent Heling papelous emplioned, bearing brown reports, chophulus, appearing during In-Janay. Stroftmiles Volaticus, butming had spoto, Lichen Simpley, Lichnes as agrind, Lichen Lividus, Lichen Urticaous, Urticaria under the chim

Varigella, Veccular Herpes, Herpes theretoenvides, Heepet Loster, 1 Heupes Inbialis- Heerfes Frefrer cialis, all anophrines necon punied with gastine derange ment, Sentes humidis, or purorlent. when early him is inveterate, Jenea Capitio- Pucholes terminabing in yellowsh ands, Itica In-Unice, Esterna, Empeters - Boils Fungus Suptions, agne Rosacen Montal Corbon Defression of Spirth. Tartar Emetic. Cordsoral Coroup. Delerium Tumens, Maused & womiting, great prostration, funous deleignen, "aproplectie Comed, Constant Heling, Intermittent five / Applichic) retelping be . Courted, (With Salt as Comet ie Cintiments) wheel on fut of ghomaches Orbital Corones. Ophthalmid, I from Small. Buchal Corong. Thy alum from Small Box. Amatilis, Andria Dorthentica, Castric Corgup. Caselea, vomiting , dearhea, precordial august, Castritis notto lendency, In you grene, characterized by excessive mining

and Sention in the efre gastrium, sensitiones to torchi, romining bile and belove, inability to achave liquid, extremities cold Amque inflymed, thick whitish outling, I Bastro. Ententis, burning graphing pain in the lowels, inkelssant dianhola, tympanitis-Sexual Group Gezerna, Heleifies & Forngo, on the peris and serotum accomharried by friend burning & teling, Instales on the pudenda, Louestonhoed of a then who out chal acter, Catarrhah Chroup. Influenza when setting in, there is objellifulo, sneeper prostration, then forey Comment mid, in the 2: of 3" stage, when for trent sports up ar finant quantitris of phlegm - Croup - Whoop-! ing Gough desire tray pectorate write inability-Fever Group - Wellow Gever, constant romiting - sweat and coldness, of stein & Sinking in the stomach, Belines Remittant Lever, cold sweat, prostration vomiting, Small Steep Restlepness Soprous

Mental Comoup. Excessive apathy. Antidotes Mellor Cinchona Linetone, Pondued Galls Veratrum. White Wellebie Poisonous to all animal, "Virtent wind instant, Cerebral Group. Vertigo with observation de sight, berelval conjection, butering on Afrifiley y - forthusion of the eyes prostrution, coldness, whim a and musting, Hamilerania with retely my and cometing, Scare Dydroceph alus, abull, desire to ellep, altermate and action and delations of the profil - body ald, head but, bring into the fillow, pulse welfulas Nervous Oreany. Intense prostration accompanied by collapse of pulse actining and voluting, tendency to oplasmin the extremities, tendency to lock-jaw. Special Senses. Am annies, delabation of the prefuls, drynefod the eyes & inflamatory initation, sensitives ness to light. Cemeralopia - Myetal. opia, propalysis of the waper eye led. somere; in the eyes, next kantling

in the lids, makeness of the eyes, Deals of alternate feeling of theat and coldne se, a cessive discharge of natur from mose, swentp and recurations nose prinched, thirty pute border teeth, Lock-jaw. Phydiem from paralysis of the glands, feeling cololness of the tongue aprinous Construction of the fances, suffication drynets and sense of coldness in the Throat, dysprhagia -Chastric Group. Logo of taste, unquenchgeteling and wornding accompanied by faciliting, universal prostration, rollapse of pulse, Vomiting and clear Than accompanied by brining pain in the spring astrium, stomach and conclo, Lyn gultus, romiting of mucond, andtant lesire to womit, Then raising telle mucous, voncting of bile and blook, Carthalyia accompanied by burning paine, in touse thirst, paintalliness of the abdominal walls, burning in the bowels as from fur couls, cumps in the bokels, Habilent bolie ac-

Diamhau, bloody stools with kines Vinary & Sexual Group. Dyouria, Eneuresis profuse and premature muses, alcompanied or neceded by headache , or epistoyis, prostration, cold-Catarribal Group. Drynep of the more dry and bucking codgle, occompan ced by fithilation in the throat, bough resembling whoohing cough bough accompanded by bluenes of the face, Esthma anding by running at the mose, and proofuse expect orgtions. Ontaneous Corono Emplione letre Hea bites Sleep Sleeplepines at might; Lettrargy Thever Group. Hemittent Fever of a typhoid character, great deal of collings, flushes, Intense thirst Intermittent Sever with prolonged cold etage, prostration and in-Huse theret -Mental Group Excessive august, defret-Sun of spirits, manie, Insanity accompanied hysoreaning and runminet about, Office or deids Antidote Emelie

Zincum. Cerebral Group Timent cerebral Decenal giawith regular intumission (Oxide of Time Paralysis of the Brain in Searlet Fever, chata eterned by involuntary discharge of feces and mines -Day cold Stein quick fulse treextremeties, Sopor alternative with delevium, Paralytic Stage of acute Hudrocephalus Jonea Capitis. Special Sendes. Smulent Clepharopthal. mid - Blepharophosis. External & Internal ewelling of the nost, Los of Smell, Constant dynes Discharge of hart from the eyes. Provopal gia, (affliced as a was to or Or ment) Them or of the facial musely Gastric Group X nu gru chations bourning in the stomach, obstinate Consti-Vrinary Group Burning and culting in the welling, discharge of bloods Catarrhal & Pulmonary Civous Inchmonia Theym on the chest, Commissione Ustuma, Cutaneous Group Obstinate prinfeles sorenes of skin, day or staly heipes, I gonowhoeal heifel,

Hever Group. Chill and flushes of heut- febrile motions, violent trembling of the aytremities, beating through the body mental Group. Meloneholia all entro of Visions, especially visions of demond, any cety Oxide of Zines. Hey droughlalus Procopalgia, Risus Sardonicus, Spasmodie asthma chonea, Epilepsy during deuti. tim, from worms, Recommended as an injection in 6 loffe. A letate of Line Acute marin when there is involuntary dearwhole, Chloride of Zinc. Chima, Epilefery, as a wash in investinte phagedence Syl hillitie evels, Berfretie & Verofuloro sures-Valerianate of Zuno. 12 ased in acute nevous frami as a wash or outments. Used also in Lumbago as a wash or orntment -

Benzoic Acid. CH.O. Desired from little almond oil and the gum-bengoin- Used where there is a tendency to concretions in acthinkie or gonly affections. Where hypuricacid is in excess and wire out is defreeent in the mine Oxalie Acid COHO Antidotes. Magnesia or Chalk_ Symptoms. Comming in the gullet, mouth stomach, someting, severe pain in the stomach, and abdomen, exceled by touch ir pressure, violento thirst, Haudashe, torque red Indere, rigid, tender, fruke impresceptable alcompanied by deadly toedness, clamines sweat, mails and fingers assume a livid character, Imall tremulous intermittent pulse -Edo of consciousnes, Convulsions extremities number, tremor of The timber, since of numberels and pricking in the backgand tingle, (sursation as if the hand were dead, lop of power, to move the limbs eathelially, the legs doube pain in back running to the thitch so though the equal marrow and instanced

inflamatory neuralgia of the spinal marrow, accompanied by trenson COH Hydroceanic Ucicl in the last stage of wholesa when spring ia is developed bushdenly - patient becomes as cold as death. Muriatic Acid. Used in relees with a burning pain and discharge of fetid put the ligmant anall-prox with a tender. ey to a putrid character, Legthons, patient seems paralysed, ropey salvin ranging from corners of the monthe eye Halls turned up so that the white only appears, conce jaw hungs down, tendenen to slike to the bottom of the bed. Nitric Acid. mercural prison, Syphilitie di-Stades, Ohnonie faundice, Encuresid, Eneumonia fald emereinted, imporceished ficelons, tendency, to paralipsis, greenish blood etreaked part, Typine Sutridus hemorrhage Hom the bladder and skin culs, Skin and and clamy,-

Sulphure Acid. here covered with tack sports, which become raised and blood orges out. Junies when stonghing. Comis. Phosphoric Acid. Caries of the Bones, from mercunals poisoning, or from the sauses, Plachitis, Nochunal Emissions. Lenchowhoed after Mondet Chole rame. Omonie dirorhaa, Dishetes. when accompanied by emaciation Congle accompanied by repectoration of blood, burning and clinging frame in the air passages, Hechie Fires when there are collegnatic night surety Typhus Abdominalis - when Hicke fever sets in their not, dry alternating notte moisture - firstees Soprol-Cerebral Group. Verly accompanied by 3altack and tongue, tongue thickly conted, and den contoussion of the Arain, bolo of amsciousness, faint Special Senses. Traumatic inflamation of the eye, amaninis with abdominal emoustion, Drofnes conse in the ear

asif brised, Copiones epistaxis. palenes and sunken features, Hemientage from y traction of hon the teethe, from operation u-Gastric Group. Dry tongue, tonque thickly funce, distry gray evelor, lopo of ap. petite, botter emetation, rause a & romiting, hematemesis, hematemeses from a blow, watery dianhour, foul emell, dischange of mucous with lenesmus, Firthird Dysentery -Vinnary & Sexual Group. Homaturla, Invince discharge of watery will. L'haumatic orelitis, Primoris & Faraphinenes. Inflametion of the mamma, melrowhazia from a Criory, Respiratory Group. Pleuritis (false) where there is tilions decangement, herrows Oneamonia dry cough which breath. Hever Group. Intermittent fever, with gastric derangement, Gastric Lyphus, Vervous Group. Theumatic Garalysis with formication a chock asif from electricity - marasmud from Lexual excesses, Cartaneous Group. Enoption of Boils muscular fibre.

Argentum. Och whom the articulations, Bones, Cartilages muscles tendens, liga ments, of grands & heart, Special Senses. Quent Course with violent sneezing. Chating foithilation & Inicking in the West, masal carply with Aneguing. Thehing in the Louli of the leads, sensation as if insects with many feet were digging into the defreesions of the conclude - Inflamatory redness of the eac-Gastric Group. Sensation of hunder which painful; Vinary & Sexual Groby, Copions secretion of watery wine - Pin in the testes as if contused, digging pain Chrones orehitis. Catarrhal's Respiratory Group. Oreaking & eracking in the cartilages of the lacyny - Enflumatory conditions of The language with tendency to relcuation. Sparmodic pollputation of the heart, sensation in the low. in part of the back and region of the sacrum as if trucked with cce. Nervous Group. Laming, bearing pains in the smaller joints, pulsative

witheres in the hife fourt, frain Sensation as through the bones were paralysed even to the manon draw. ing in the long bones, Ostalgia Ar. thinalgia - Ofalgia, Chrondrihis -Soreness and cutting pains in the cartilages-"un Nitrate of Silver " Corebral Group. Violent pain on every part of the head. Excessive congestion of blood to the head with throbbing of the Earthd arteries. he wines, Antifying dull. nef of the head, meloneholy state of somend, inability to express sulta. by-and esterently meself - Headwhe accompanied by dulling Then with oncease of temperature Rosad feels larger - Nelving wed ereching Sensation in the sealfsensation as if the have were being fulled ont by the roots, Special Senses. Junteen and pule ofpearance of the face, as of people of ald age - Conjuntistis - conjunction va pulekered up - redness in The corners of the eyes as if blood were affired - drynes in the ayes, amon rotic symptoms, sensetire neto to the light, agglutination of the eye leds

in the morning, Vistent Nehring of the mose, where atch sent of the misedischange of blood and pus when blown, Courga chillings, energing -Stufisping headache, sickley afrpearance, in the face, discharge of pees, blood and maker, painfulnep in the teethe on taking water, Dryging and grundling bothacke Jums inflamed, teethe love, phya lism, beeth some, Felling in the longue as if sealched, sense of someres in the funces with scalded, Dark redness of the facees and mula, pain in one side of the throat as if a eplinter were lodged in it, expec cally when smallming. Denting and throbbing pain in the throat, Throat full of making tenaccours nucous, compelling praticul to trank up sometime thing which arthur like bulls of wouters Finand, Gastric Group. Witter chalkey taste belching up of mind, someting of glassy mucous in the morning, Inthe a desire to somet in that afternoon, tremelors makenes, Sensation in the read as if we a vice

Oardealgia characterized by internal chillings - Cardialgin char. actured by distressing ynawing pain in the stomache, griping burning paine in the chomach, C. Char. by yawning. sensation in the etomach as if it ! would brust, ineffectual effort to raise mud, pressing pain in the stomach, fainting haused - flowed water in the mouth, mability, to etis, O. chai, by measure, bonning drawing pain after a meal, black or acid substance romited after a meal, C. char, by Some vometing in persons with yout, Co. chap. logal concerns diatheris, Schinns of the stomach, Ceeling of emptymes in the stomacle, dance for promount food or drinks, insatiable bringer, accompanied by defines-Dring spirits, malaise in the region of the clomach whered by pressure, vombing I water in full ginon persons () Abdominal Symptoms. Notelies in the five senas of fullness in the liver hypertroply of the liver, pains in the abdomen so of the lovels were ere, accompanied by a sensation of horneger duminished by eating

after which the bowels feel tremalous Sitches wille dark through the alr-Armon as if from electricity - especially when moving about, sensution of coldness in the abdonus, which is paroful - sensation as of aball were pursing from the about men to the throat Colic followers by discharges of green mucous, very febril, accompanied by that whence, Oaushveness, itching at the anul, very motent, discharge of timen, Trinary & Sexual Croup. For great disof mine passed after which the mother feels enden, burning der my michnation, densation as is if a drop of water were pass ing through the method, Culting pain from poeterior por. tim of the wiethra, to the arms Aber michination, Direnas of the mettern men muching pain in the middle of the mile-True during michnation as of from a splinter, Wether fells Swelen as if hard and knothypriapism, Inflamation and violent frain in the method,

Commine on the method & force - 6 m. plete Thop of seyeral desire, Organs become atiophied, chance on the prepues, metroritagia, Pulmonary aroup. Dryness and burning withlation, in the langue causing enigh. Sufficative cough- frontbigularly, in the day time, acting sensive frain in the chests, violet palfitation of heart accompanied by mousea and fainting feeling, swoten glands on right eide of the escent, Nervous Group. Epilepsy from meretal exection, imbecile formed, procton tron, signed feeling in the lonce ixtremates Cutaneous Groups Eruption like withwhen scratched there is bleeding. Echematous pustules -Montal Group apathy. Hy prochondria Intidate. Chlonde of Sollium

A safætida. Hopkeria, Hoy prohondina when traced to decargement of the live characterized by pain deep seated, & pressure; heavy labored breathing, pulsative throlling sensation, bushing pain in the stothacke and usophagus, flushes in the face appression of the head or one and of the head, constant change of mind, as fits of joy and sadnets, Hysterie by flashes in the face, heat in the head, burning in the eyed, Jastrie duangement, rain eich baste, burning in the stomache, Algebratent distention of the abdomen, Globus Hystericus, when characterized by the previous symptoms, premature menstruation when accompanied by labor like, bearing down, cutting pains febrile initation, abdomen empeshed, Spasmodic irritation of the bladder I pasmodie breathing accompraneed by pressure, extended in the chest fall. hitalion of the heart, Dry nervous cough. Newvous Pains. Intermittent pains, throt. being offnessive pains, statelies, darking pains flying from within ontraid, actioned by entract Sometimes with feeling of numberely, Thereunal & levelulous caries of loones, Caries and Reckets mreurial and scrofulous select,

Aloes. Dysentery- tenesmus- burning & heat. in the bonds, blood discharged is dark, burning and cutting paine in the rectum piles, I flow of hot blackish blood, accom paried by heat and fullness in the lowels, painful pressure and heat me the liver flushes about the face. heat in the head, Bilions dearthola, with justid smell, whole body feels hot during evacuation, Excessive mensthration, blood hot& dusk, abdomen feels full hot & distended Camphor: Vertigo- pale face, he armels of the head simstroke - los of conscionants, meningshis when from sudden retro. cession of acute amphion, or exposure to the suns rays, acute Epilepeses when from some sulden emotion, Tetanice Sparms with hofo of consciousnoss, when Special Senses. Staring and inflamed eyes, explires covered with red efects, excessive contraction of the pupils, stronge frames refere the eyes, sensation as if digets mere too bright and Shiring, obscuration of eight sen.

sation as if the eyes were pushed out of the evellets - Catanhal theumatic inflamation of the month, teethe feel long and nake, tibelies ily through the gund, four at the mouth, flow of 221 saliva, dry and scraping feeling in The throat as though one land ripped Gastric Group. Burning in the abounder, Hastrites, Gastro-enterities, Inflamation of the viscera from sudden retweesser of of emption, dianhau watery- accomparied by burning sensation and feeling of prostration, dianhaa from exprosure, Orinary & Sexual Croup. Steam gruy, tenesmus burning frain in the weather impotence. Catarrhal Group. Influenza, first shage . Sufficative catarda, as of the lungs were paralysed, patient well, pulse collapsint. Heror Caroup Intermittent Ferce, still long and accompanied by refrer asthenie fever, coldness of the skin. collapse of pulse- Rupor -Cutanoous Group. Violent borning Helming of the ckin, erysipelatons inflamatran of the chin, Mental Group. Maria, disputative maria, patient nowls screams

and wants to hill humdelf, Mania characterized by complete apathy pulse slow, pupils contracted. Antidote. Emetie, there a doze of frium. Coparba. Excites a from of salina, In the bonds odie, watery, diawhaea, Cohims Ands lop of appetite, nausea and vomiting colie, tenermus, burning at the arms, bloody shoots, Virinary & Sexual Group. Excessive initation in the bladder, Inflamation of the unimany organs, Intlemation, smelling & selecation of the onifice of the weether a. accombanied by throlling pains in the penis, itching, smarting & coming in the mething, retention of mine, Komahuna, burning & senestion of dryness in the prostate gland, swelling and indusative of the testes, yellow purulent gonowhoea, metrorthagia, dischange of blood and thick puralents on never from the womb, accompanied by presume toward the vagina, constant initatron in the lawyry accompanied by cough, day and painful con ghe sometimes accompanied by profuse discharge of greenish grey mucous,

Cutaneous Group. Dark evlored, or bright ned measle shaped eruption, thing intolerable, sometimes owns together - ! line orupes, on the face there chest, abdomin, hands, seet, after its dis-Afgearance turnifiliaire, Selsin In the red emploon, like epito on a franklin elken, iteling, raised up, sometimes on the whole body accompanied by andling the lids month face arms a hands, para in the mouth, throul, joints, feeling of distress in the stomach, Whicaria isotabeth to the sist on the And , expecually in the forchead there in the classe of the aprills and of the tongue, leaves brown show testund, pustules between the fingers and on the fore arm -Oleum Tiglii _ Croton Oil. Making dianhau, dianhora preceded by hand stools which turn into watery stools, Distribute where stools or diamina, accompanied by violent terresonus and louring The it are the ex fulsion of timed Combrice, ascardes,

42 Cutaneous Chroup. Vislent influmation of oken, appendice of enjoyelas Try expelas redness then himples, aphthal min molent, whereation of the corned, amounte eymptoms, enjerpelas of the face, Angina Fancium, dryne and inflamation the sweel and moula, himid taste constant deen to haroleup muent Oleum Ricini. _ Castor Oil. Mucons dearrhoed especially from dietetic errors, Gastro Enteritis with wa. born discharge from the brokes, Oleum Jecoris Aselli. _ Cod Liver Oil. Jain in the bones of the left arm. Theumatic frains in the kneed & arms, fram in the knee exprecially around the parella, increased by pressure, sensation of heart on tokeling. Redness of the skin in bed at night & beling which desappears in the morning. Scrafulow relees which dischappe mucous, mucous from the methra, burning in the wethra every morning in exprending the the bowels, Inherenta Rheumation, Caries Rashitis, mesentene Comsumption -

Oleum Animale Dippelii _ Animal Oil. Obrained by distilling a normal matter. It is higher volabile, Acts as an initante, Used in Asthona Hays-Levia - Hypochondria, Hysteric spasms land convulsions, muscular debility - paley, shoumatil and authorste affections, - Flat or some taste, loathing and musea, heart burn, Burning and stinging in the stomach, culting pains in the bowels followed by fliguid stools deterioration of the mu cour xecretions, Sallow complexion, depression of the reproductive functions, newous initalility, toffree and mant of tonseity in the museulou fibre-Julse slow, decrease of normal temperature, itching of the eku, delp seated mumbrefs and formication in the love extremities

Petroleum. ___

Rock Oil.

Meloncholou accompanied by jastrice der any ement, spasmodic Contractions slimb etrolo, cutting in the bowels, enderation, restless sleeps, profuse sevent at night and in the morning, Chronic Southnoat, accompanied

weary feeling and fainbing spells-

by some p of the tongue, fetid phy alism. Constant dubbling of nine, seconday Jonowhau, relevative chilbrains, Jenea Chronice Herpes on the serotum, Jenea Capitis Favora, Oleum Terebinthince _ Oil of Tarpentine. Times a probet color to the mine, Complete suppression of mine, cyptibis, bonning in the wetters, strangury, dyservice, accompanied by signifitions of wrethritis - painful arections, wine pacy deposit a thick sliny rediment, presence, sensation of heavings and pain in the Kidneys, bushing k drawing in the Lidneys, Hyprogas. trium fainful to pressure, which encies teresmus of the bladder, burning in the methra, dianhoca of mueofo and water accompanied by burning at the and, dischange of titrees, preceded or accompanied by culting pain in the bowels, Drawing Haring burning fram in the lower extremities. Exanthem of a searlet color - Exauthtmatous justitue or vescilular emp trons -

Oleum Succini _ Oil of Amber. Heysteria, excessive nervousness accompanied by a tendency to profuse and fremature menses, d nervous vertigo, heroons hardness of brearing, Sexual excitement with mothernal emissions, Dy cough 3. resembling whoofing cough-Buphorbium. Excessive instant prison -Acute Maria with violent congestion Immed Julse, Jente Vastro-Enteretising, Honnied by vomiting and purgall when the reaction takes place, External application in bring. ing inflamation to prevent How thing. Inceging, redness of the Space Suptim like nettle hash, Ammoniacum. A plant, a mative of Fersia- Used in Chronic cough, initation of the broncheal mucous membranes, or fuctor tion of mucins, amountie makings of eight, weak degestion, chemowhan tof the bronchial lutes and vagious in Semales subject to profuse and premature menstruction,

Used in Attinitie and ahrumatic affect ions, dragnes of the month sunstation of heat in the Annaches manger, lop of appetite, relaxation of the bowels, great Herspiration, mild prhy alesm, flatulence, caustinues, mucunal Theumatism and bone pained -A Mintee Meuncatism characterized by lancimating whitehes in the dytremetics, from the feet up to the kneed, dalapa. Dereams and restlepings of children, Stools have a some smell, painful diar. Around whiledien, molant destlepries and enjine q, watery deanhola st grown persons where there is a decrease of the pulse and animal heat Seammony Deanhau with symptoms of untation of the interhinal mucous membrane with grifing pains Gamboge. From the gambrae plant, Froduces Nauses, rometing griping pain in the bowels, tenderness of the abolomuy coldness of the extremities, decreased pulse, Antidote is the Carbonate of extrassa -

offuse making dearrhoea accompan ied by griping & tenesmus, dearwhala with thuring pain and terresment, hard insufficient stools, notent unging pressing and protrusion of 6 the cletum, befored vometing and purging accompanied by fainting and sinking of the pulse, Violent initation of the bowels, ragine wheres, Alumina. One of Hahnemann's anti-provic remedies, The symptoms are, drynes in The month and Throat, diminished quantity and increased consistency of the Valine evacuations, housed nomiting griping, punging, Inflam along condition of the alimenton ca nal, Castro-ententis, Gastrie derangement, characterized by a flow of broader from the month with al. Paline reaction, sensation of full. nep, and pressure in the stomache, Sensation of dullness and torker on the stomach, Constitution while the feel and day, hard and pull. Lead Colic, Subacute Gastro-Emferitis a haracherized by romiting, jurging nonteny and even blooky dismosa heat and tendences on the bowels - Gleet-

Carbonate of Ammonia. bring headache, Istation of the air passages characterized by oppression and racking cough, expectoration of mucous, swempoff the air passages Julee may be withated, limper. above in creased, and slight per-Spiration, Inflamatory initation of the bowels, bloody mu cous, I discharges, fram in the bowels, feverichnes of the vistem, fetal mine; dymenorhan, spillinep and frequestrues, book dack, discharges frequently searty and painful; Seorbabe and putrice condition of the system, bromowhage from the ornio, mouth and mose, washing away of the museles, decomporsitutor of the what floud, pulse hurried and feeble, habitual blood, wine fetid, Butid Syphus, fever, heat, dryness of the okin, foul breath, Consulsions of tetan. congestion, Heyberra Sycope, Scarlet develophiele assumes a putrid or liphoid form- Antidate Dilute Vinegar ordenin juice

Muriate of Ammonia. Hoeat and oppression in the stomache, headache and mereased desire to umate, Constitution, Chronce. e catanhal initation of the from cheal Kining membrane, catawhal inies tation of the stomacle and bowels 2dearthea, Chome catarrh of the bladder with discharge of mucons and inequall deine to unnate, hematine menstruction, with pain in the levols, dysmenorhous when from too frequent menstruation Antidate. Vomiting by nam maker appear give Deonite. Acetate of Ammonia. Remeidered as a woling agent Coursed breadache, & indigestion Aqua Ammonia. Suffication anxiety, livid, streaks on the face, Tongue bright red, voice feeble, dyspuder extreme, wirlent frain in the throat, pulse feelle dryphague Lops of voice. Antidote. Lemon juice. Pilute vinegar

Anacardium a beun, contains a kennal in which a juicey liquid is contained which If it thuches the ckin, produces rivlent inflamation and down gerons pushelous emplion. It's primary effect is blunt the percipient porks of the senses, Angustura Vera. Fromes regidity of the muscles of the body, like telanic spasmi, Vone suddenly falls down without looking the senses Lockfawparalytic affections, Spinal affections. Then in- Spring intermittents, Intermittent newralgia of the face, with debility mausen depression, look bowels, Dianhoea of a chronice nature, with mausen, debility mucous and gastrie devangement, anxiety. Useful a Dropsy, Hoydrothorax, Ascites, Recommended in theumatic and catarhal ophthalmia burning and redness of the eye. balls land lids, aching bring and struging frain, backrymlation supplimation, sensation.

as if sand were in the eyes, swelling of the exe-lills photothhobia, Inflamation of the ton que, month he and funces, parts red, longue dry and swolen, construction of the fances, burning heat in the Janees, glassy morcous in the month and funces, whey mermucous, Glosatis, Tonsglitis, Vesicular Enjoyhelas, Scarlet Fern- measles where there is angina fancium, Meningitis Hydrocephalus, with convulsions sipor, delerium, lop of consciousnep, intempted by endder chies, perspiration about the bread, squarting, retelling and romiting, digging and loving of the head isto the pillow! linking of the abdominal muscless tremos of the extremities, pulse intermittent, juting, Dorpsical effusions, Rydrothoray, asseites and General anasanca, with heat and dryness of the skin, suppression of wine thirst, Typhroid inflamation of abdom inal mucous membrane, Strangury-diarthoca, constitution, Inflamation of the mucous membrane of the winary mucous membrane.

Constant urging with hummes hain. cystitis, dechania, Stranguy, inability to minate, red wink - Uterine affections, Ingorgement of the needs of the broand, with disorganization - Dysmenowhoeawith min any difficulties. Asaram Europæum. An exceedingly initating a gent, It is a proverful emetic aind cathe. artic. Useful in gastric derangement. with romiting and purging, with se-Wild parsley - Wild believen, fancies he sees dogs or cats, gillmes, Apressive headaght, lop of conscionances, spasmodic registity of the lower jano, tremor and mumbres of the retremities, langur, wealines and great weakines, coldness of The extremeties, someterous, paralipis and considerons of the organ of speech, Violent aphthalmia, gongrenous tougue, inflamation of The asophagus, vascular congestion of the stomach, and

duoclonum, Confused vision, dyplopia, vacant, senscious star-ing, Inflamation and swelling of the face - shifting from place to blace-Thirst maudea gend pometing, smarting struging heat in the prosette Threat and qualet, paralytic depbrokes, bloody diamher, hardness of the liver, Sindiely of the chine Swelling of the body. Sopor and restlefornessat might, A wolledoto, Emetic, then dilute Vinegar ordenin price Agaricus Muscarius Use a nakey solution. achsupon the brain and newes, liver, stonach and bowels, Apoplechie condition of the brain, paralytic exadition of the aftremeties, coma, feeble megular pulse, mancen, fetil bocathet, full neps and bluish color of the face and life, chomea, excessive mobility of the muscles, Delerium tremens, attempts to commit violence, rage- mania characterized by fantastic motions of the limbs, Effilesey when there are violent cerebral en gorgements, Inflam. ation of the stomach land bonels,

from alchoholic drinks, Enlargement of the liver from vascular engagement, Fint litters limbs,
Antidote. Emetic after which give
Sulphune Ether.

Agmis Castus.

Gonorhæa, discharge of thin watery
serum, imfortence, entic absurce of exetions. Aurum. Hypochondria, tendency to envicede, Regelina characterized by profuse menstriation, Serfula when comtimed with Syphilis, and mercu-vial prisoning. Odgens with caries of the march bones, Caries of the macul bones, prabatine and naval processes, Otorrhoen with caries of the bones of the ear, fetid dischange, Exochosis of the excel, and pelvic loves, Chronic orelitis, Lyphilitic places of the Junes and Longue, Congestives breadashe, Idehoome Charante and purelent eoryza-Falfitation of the heart from a when whice diatheris, with Antidote White of Eggs

Baryta Carbonica. Derofulous dove throat, inflamed glands It is an acred and narcotic poison. Dinness of sight, dyplopia, distention of the stomach, dramps in the calses, Its first action is on the brain, thence extending to the peripheral nerves, It might be a very useful remedy in cerebral distribunces, Bystein in a scrofulous diatheris, Antichote imetic then deluted sinegar. Baryta Muriatica Paralysis of the upper and lover dints, (Northlows) Stricture of the weden and Metrin, Verofulous in huration, swelling and inflama time of the glands, Inflamation of the mucould and serous cout of the Simuel, Information of the mercopis coat of the intestinis, Dinbeter, sulmigement of the live La Sulone Enfetions. Herfres Gus-tacea, Lone y Capitais Antidote. Sulphate of Toda or Magnesia Berberis. Sub-acute inflamation of the mucous Mining of the intestines, bladder & wheres, Angina trucium, Difficult menstruction discharge of secum with feveris a shilling, Anoregia -

Watery dianhoen, Feeling of weariness, Dorenis low Spilited Mitrate of Bismuth! ach which passes into burning presence in the frontal regime !-Vertigo, morning in the lard, redness of the confinction, and quick hard and small pulse, Voniting with oppnession - anxiety, small pulce, reertigo, prostrution, Vomiting and diarrhica, reteling, sparmed ic reteling and pain in the stomach. Boring paine and oppnession in the ettomacle, with frontal head ache, contracted hund and frequent pulse, warm skin, coatled tongue, flatulence, bilions starts, Frequent amissions of wa-beny mines, Endocarditis, with pul-Borex. mences muke their appearance duing the nursing period with prostruction, Aphithous or musing some month-Bromine. Membraneous Croup-Chronic Bronchitis. with consisten as if the air passages were filled with smoke, Inbenulus Pathiers Hyprithy ofthy of the vertricles of the heart.

Senfulous dianhea of children from affections of the mounterie Calendula acceptions to present the supperratic process - bruses, contribut Cannahis Nativan Generation; discharge of yel huich greenish mucoust inability to pass water, Hemakina, mulility to has water, brune & k culting in the methru, Predimine with acting pains, greenish expects ration, spacety of the corner, incifrient stage of eatmact Cantharides. Yastro-ententis, chaqueterged by construction of the throat, so hat wind cannot pass without causing pain, bution , in the æsophagus, and stomache, naused mucus, stomback tender to the toneth, Influmatory of the uzimany and sexual organs burning fram and tenderness in the hypropastice region, Constant desire to minate mitte inatility, mapisme saty nadis-

local heat and instations mis. carriage sparmodic constriction of the nich of the bladder, pain in the head as in meningitis, forhand frequent pulse, fist and do skin, Antidote Emeric the mucilagin ous dinks, If inflamation . Opium Revisto, Il influentin of the minus organs Cumpher. Capsicum. Intermittent force - excessive Ihad dering - chillings, fram in The small of the back, Burning & the stomach characterized by wildress and trembling in the Sommeter, quanish feeling about the stomucle, after and al flow of water, flatilent distantion of the abdomen Small and frequents discharge of mucins and blook tenerment, burning during muchu ration, discharge of mugous from the metter. atropling of the serstum and & permatic and, Carbo Animalis. Frandulae swelling with ten. lenery to decomposition - blood in a bad state similar

returns, malignante, lunder of the neck of the month, accompanie ied by a discharge of ford matter, a flow of an acrid fluids from the stomash Carbo Vegetabilis. To raise the newows reaction, stime relates the mucins, membranes, when the sceretions are force, purified Bellood, Dyspepsion characters ized by and lity of the store acto, when there is find tracke in the month, alternating notte palfictation of the heart, Sommence, foul diantica, asiatio Cholera, collapsed, skin weld and clan patient appears perfectly lively Subsid Typhas, decomposition of the Al fluids, Paralytice Dajsphagia, love jaw dreps, obsine hourdness, when it comes on at night, tout releers, Janque serilis, Bruptions which clima bad state of the blood, lenden cy Emprenous Primers

Castoreum. Supposed to promote menstruation, weed for precine spasm, Spains of the returned, profuse menstruction which when it has ceased is followed by an affection of the line Cousticim. Chronic Paralysis, Chelidonium Majus. Johnding of the love, accompanied by caustiveness, stools dry and white, with joundiced complex-Cina -Worms, affections from morms, Commissions, Epilepay, comoting bulinny, dearlock, beling at the famus, nochunal men. resis, Inhermittent fever, great chellings for thiret, tought, elean, Hydreephalus, Fornde, en freetvation of forthy mucous, Wakefullness, John, defnesses the fundimal power of the three, of hand lumpy fixed, Dianhoca with exerciation in the lower part of the anes, watery about, flow of ackaline water from the stom who

mones discharge of wine, Small dones cause sexual ox itement -Large doves cause a defrevaire hestlepnes, Antidates Acouste Opilion Le Antidote Vuy Varnica Cuhebs. Stryging, burning, smarting Jensation in that porthum, and discharge to a milkey your from the wether Frequent inging to minate inetations, housea, Cuprum. Tombing, purging, bloody deser when griping pains, sometimes molent timestrud, Violent cramps in the calves, thight, pain in the whole body, giddiness, convulsions insensibility, son ctimes joundice headache I lop of consciousmess, maddering look, rage, apolley ythe tehest, Cough, Honnied breatte Themophysis, Cholera Asiatica, Chonea - Crampo of the legs thighes and feet, Spasmodile rometing and reteling from scirtus I thestomach, accompanied by of the patient, Spannodie

Asthma, Meloncholia, Defression of spirits, Anguish - Cruzines of a shy charactery patient ender. ors to hide himself-Tickling in the throat shortdry cough, Strangery, Heat in the welling, pall mine, numbres and regidity of the parts Tiddiness, headache, loss of conscensness, convilsions, bleb liky acouste neuralgie cutting pains in the lowels, examps in the calves things and soles of the feet, Vomiting of loile, Violent inform ation of the intestinul mucons membrane, retention of mine Coming in the welling, Dyoproca, feeling of constriction acros the exect, burning in the wind pupe, dry hacking congle, Perspiration, Small doses stimulate and lange doses depress the pulse, Yout Suffamatory instations in Jourty persons, - asthinga - Indo carditis Strangury, Schurice, Inflamabuy Tirilbation of the stornache and bor els, dropsical offictions acute and drone neural gie

initation of the thouseil and abdom. inal viscera, Dystmaa, constriction Jones of, and wile taking coughiin the heart, thust, lop of appelhole, pransed and voniting fool bile, outting and chasdischarge of serum mucous & Stord, acute tenesmus, Sorent and heat in the stomactest swelling pain, neat, redness and lamenes of the in tremetres, delility, but dry show Antidote. Inthree vombing after which give Coffee Cyclamen Europæum Violent drastie, vorniting of blood cold ewent singing in the cars evinning in the head Crocus Sativus. Passive whering hemoretages blood blackish, In Hyterical thetrent, Drosera. Shuckdering - Feeling of construction in the chest, feeling of variety in the exect bloody rough, Thin in the much diminished seartion of nines It hosping cough in the Spromodie Stage

Buphrasia Officinalis. of the conjunction, sensitive nep to light, redness, someness, sensation as if full of sand, cachingmation Catarhal initation of the Schneidevien membrane, Dupatorium Perfoliatum. Andermittent faver bordening about the semettent type Lamemelis. Hemorrhages from all mucius rountrares with astheria, Phlebitis. Hemorrhoids, Varicoccle, Carbuncles, Boils, Weerice Fryunies from a fall, Varieuse veis Alite leg- orchitis, Weed only in recent cases of Thitefor Distrese meditis, sustra triestinul initation of a Lyphord characber, Malignant il ceration of the neck of the younds, Houl len. intion, Guns, Fort weers. witable to female deceases Antidoto. Lagiment or misci be ginens hinte Leaves are of a beautiful glossy quen. Stiff Like cather, It destroys lefe by paralysing the newous centre. The optimel wither commend

seem to overcise a virialue effect name, pulse lyn und clow (35) re. 7-6 Paralysis of the special Sended, after apostly - Tythoid Then monia, Threatened Paralyses, Angina Sectoris, Afmed many Large vissels, Excessive dysproce in almost any diseases it of the prenis, Profuse menstruction Antidote- Ammonia, there strong Coffee in large closes Ledum Palustre. Epidenie influenza, Whooping Sough - Chronie asthma, painthe throat, if it partakes of an epidemie character! Hormoftysis, Theumatic diar Thea of a Cilings character-Debility and spillings, are prominent indications-Wheeks Pneumogastrie news principally asthma accompanied by nauser and romiting, Schiofrathie atthma, Cardialgia Antidotes. Veretable deily and to fee

66 Lycopodium-Chronic Constipation, Relention of wine, disposition to gravel, mealey herfes, mucunal helper, hereunal Caries Meers, Their polonica, Tenea Cap. itis, with of teneroe supporter & erushy multing of the hair, In Levenious curs where there is swelling of the glands, Magnesia. We use the Sulfshate, Carbonate and the munate of magnesed Sulphate of Magnesia Dianhad with yellowish greensh discharges, Profuse and prima ture monstruction, inability to retain Carbonate of Magnesia. Treenich, frothy, Som colored dian river, adapted to famule with hitfreult menetrication and leuconhola, rausen vomiting constitution Muriate of Magnesia. Utime spacem, menstrual diffeculties Menyanthes. Dell sticking pain in both sides of the chest, worse where presed upon, dense of compression in the sides of the elect accompanied by hihes

I essure on the stermin with sie heles bramp like pains in the muscles of ferer, when chill predominates. Whenmatie Deafren, persons cannot hear themdeton with MI ezereum. Redness, residention of the Asia Burning dryness in the stroat on iting, profuse salivation, dearhan busing in the bonels, initation in the kedneys, Cough, with expectora. tim of blood of a chance charactul, Straging and brunning see The chun, He would believe the fee, Emphins - Lenen Capitis with qual Vetring, Heepes behind the age with iteling, Lencowhou of a chronic character with iteling, affections from the combined influence I merenny symilis, and Bord, Hirostikio from serofula syfhihis and merenny - Caried of homes, Mureunal and Syphilitic sores exserve, Ingina of a chunic character, I characterized by dry burning pain on theat dions whose with lourising pain in the bonels steasons turbeling of the tendens Hornophysis Intidate - Camphor _

Millerolium Henryes from the slowers lungs, lovels, and wheres, Moschus. Hoysteina, fainting where it is difficult to army the patient, where it appears as if the patient would die, giddiness, deep slufy, profuse and frem the menetruation, Corporate of Soda. Constant spitting who of water in frignant females, mild diarwhoen proceeding from worms, Chloride of Sodiesm, Scorbutie disorganizations of the mucons membrane of the month, Heemon Longe Nux Juglans. Sentulous affections when realed in the words, inflation of the stom role liquid stools, increased myeney for west & bright from the skine. Ted rade of the back and fuce, muchilins emphion, downing & itching, redness and chapping of the skin, hard sullings in the face, Serombreus, Sorter a Serofulous elucoviliaca - Inter . mittent ferrer when of an inremular horace


Nux Moschata Hoyfo him driesis, Heysters, profice and premations minutivition los memory, horons vertigo, he done toothache feels as if it would be pulled out, Borrelo at times ours. two there love. after eating flatwhent distintine of the allower, I mention blind with and blackish, sensation across the small of the buck as if it were a bound accompanied by natur brack Oleander. Dineels paralysis of the extremities Exanther tout diseased of the mental alienation with life of Prunus Spinosa. Droposical affections especially Asertes. Podophylam Poltatum. Vencennes with discharges of mucous and blood , withation of the bowels a companied by nausea -Rammoulus Bulhosus. It applied to the skin it modules blisters, then where which we defined to sat deeply -During sensation in the dest pages, especially in the region of the

cardine orifice, Garquerous inflamation of the thrack until carding rifice, Contraction of the ordine orfice Dry Londay Huges, The garlenie Sous, Ratanhia Fisher of the amed, accompranced by constitution , Dianhoed accompranied by griting; generist existement, to warment accompanied by a consation of shuddening, discharges of wither fated for some stools, Som deanhau of children, accompanied by restleprets constant jurging to stool, Diankla accompanied by proin of to minate and a difficulty in funnating Rhadodendron. Pain in the joints, burning, formicaling and shooting pain in the joints, Theumatics ofleteal mia, lachnymation, itching of Fre eyes, Dysterock from shedenatis critation of the ansat, Ruta Ciraveolens Giddinep, confusion of eight, delerum, sofon titing gato, sprasmodic morement, of the linebs, pulse down to (30) faintness, delility, coldress

of the skin, von ting colie, salintion -, 4 inflamed smoley longue, fra and thinet, It blisters and in. flames the skin. It is also used for worms, when the children com it, Coliey princing the bowels Hake More there is a Conservey to mystelie spasms Injunes at the bones, Therematie and suphilitie bone Senega. Emchial caturb, profuse comiting, sensation of burning in the blomach, and burvelst, profuse dearshoon with nou-Any discharges, colley frames Tabacum. Fainters, deadley palor, deadly sickness at the stomach, change condition of the skin, wholether want of exchion. Torfied liver, constitution, Latere Cence nettle rach, Blotches prup whom empetions, itching, tingling and burning -

A huja. Condylomata of a supplifitie char-Lenfulous glandular swellings and pleed, Epilefing Nerrons Burkgo, Heyetaic hemicrania, Streking prince particularity in the forthead, sometimes affect the eyes as though they would be pierced through, uning amounting in the eyes, as I occasioned by smoke, Delerium I with a sensation as through the wom were on fire, housed with a desire to somit and a servition as Though a thread were handing down the throat, faintness, pale rolly - chillings, herons theamation sencation of throbbing and the right les, pain in the tites of the loca, as if wheen hed, sensation as if a cell are were passing under the sole to the earlycims some enddenly drawing crampy pain, and shocks,

Verhasoum. be paint in the Early Uva Ursi. Urging to primate slowly wines disselver ge of pus and blood -Cimmamon. Profuse menstruction, amounting to shetrowhagie Glonoine. Headwille with riolent rush of blood, vivient throlling. Petroselimum. Gonowhoen - difficulty in un struct. Imaching in the wrether, Filix Mas. To expel take nome and lumbrici -Canabium Apocynum. Infriend affections Symphytum Officinale Used of boundles is facilitate the healing of themes 1 Urtica Urens Used as an external efeflication for burns Tenerium. Used for expelling morn and remain of troubles from morns



Index.

	/ 70 1		2/0
Laurocorsus.	14. Katar	hia,	70,
		ım.	70.
Isobelia Inflator. X		odendron. X	
Lycopodium X	1. Ruta	Graveolens.	70.
Magnesia.	11. Sorbo	rdillor.	15.
Magnesia.	66. Southi	nor X	4.
Muriate.	14. Sam	Bureus. X	٥.
Surly horte.	66. Scan	monny. ×	46.
Menyonthes.	66. Scrl	la Maritima	× 5.
Mezereum.			. /
Millefolium. X	18. Solves	serporrible.	1.
Moschus. Y	68. Seca	le Cornutrem. y	· 7.
Muriatic A.cid.x	26. Sene	Q d2.	1/1.
Ministic Acid.x	26. Sepie	ž. ×	1.
Vux Juglans. X	(s. Sili	cea. X	1.
Nux Moschata X			2.
Oleanden	69 Sman	10202 Tosta. X	1,
Oleum Animals Dippelis.			
Jecoris Aselli.			
Ricini, X		6	8.
			11.
Succini /			
Terenmuntance.	14 5	phuric Acid	-43
O ?: A ?	41, Oyn	phytim Ossicinal	e. /3,
Oxolic Acid.	do, Aab	clCzz7m.	71.
Petroleum. Petroselinum.	HS. 2 027	*olxolClinn.	71
			18,
Podophyllum Peltatam.	7		13.
Pramas Spinosa.	19.11 h	uja. K	72.
Phosphoris Acid.	2%. Write	ea Urens.	73,
Ranzinculus Bullo ous	19. Uva	Ursi. X	73

Index.

Valerian. 12, Zincum Oxide. 24, Veratrum. × 20, Acetate. 24, Verbascum. 13. Chloride. 24

Zincum. × 23, Valerianate. 24.



